

A modern living and dining room interior. On the left, a dining table with two chairs is set for a meal. A large window with roller blinds looks out onto a city skyline. In the center, a built-in shelving unit displays various bottles. On the right, a grey sofa with several patterned and solid-colored pillows is positioned against a white wall. A large framed picture hangs on the wall above the sofa. The floor is made of dark wood planks. A large white circle is overlaid in the center of the image, containing the text 'Roller Blinds Collection'.

Roller Blinds Collection

All color for reference only, please refer to the sample fabric book for actual color and texture

FABRIC SHADING EFFECT

The eco-friendly and durable fabric is made into a variety of shading effects: transparent, semi-blackout, blackout, with unique design and functions of insulation, dust-proof, shading and light filtering, which is becoming a new favorite in home decoration.



Transparent



Semi-blackout



Full blackout





☀ 82032A



☀ 82032B




☀ 82032D



☀ 82032E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82032	100% polyester	280cm 230cm(DE)	0.63mm ±5%	380g/430g/m ² ±5%	blackout



☀ 82132D



☀ 82132E



☀ 82132F



☀ 82132G



☀ 82132H

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82132	30% polyester +70% PVC	300cm	0.7mm ±5%	467g/m ² ±5%	Transparent



1%
openness factor

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82132	30% Polyester + 70% PVC	300 cm	0.70mm ± 5%	467g/m ² ± 5%	semi blackout



82132A



82132B



82132C





4%
openness factor



☀ 82181A



☀ 82181B



☀ 82181C




☀ 82181D



☀ 82181E


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82181	30% polyester +70% PVC	300cm	0.7mm ±5%	480g/m ² ±5%	Transparent




☀ 82176A



☀ 82176B



☀ 82176C



☀ 82176D



☀ 82176E



☀ 82176F



☀ 82176G

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82176	30% polyester +70% PVC	300cm	0.68mm±5%	663g/m ² ±5%	blackout



Super Blackout



 Super Blackout

 82179A



 Super Blackout

 82179B



 Super Blackout

 82179C

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82179	100% Polyester	300cm	0.6mm±5%	418g/m ² ±5%	super blackout



Super Blackout



 Super Blackout

 82180A



 Super Blackout

 82180B



 Super Blackout

 82180C



 Super Blackout

 82180D



 Super Blackout

 82180E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82180	100% Polyester	300cm	0.6mm±5%	418g/m ² ±5%	super blackout



Super Blackout



 Super Blackout

 82183A



 Super Blackout

 82183B



 Super Blackout

 82183C



 Super Blackout

 82183D



 Super Blackout

 82183E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82183	100% Polyester	280cm	0.6mm±5%	335g/m ² ±5%	super blackout




Super Blackout



☀ 82133A



☀ 82133B



☀ 82133C



☀ 82133D



☀ 82133E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82133	100% Polyester	250/300cm	0.6mm±5%	320g/m ² ±5%	blackout



☀ 82167A




☀ 82167B



☀ 82167C




☀ 82167D



☀ 82167E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82167	100% polyester	300cm	0.4mm ±5%	220g/m ² ±5%	semi blackout



☀ 82168A



☀ 82168B



☀ 82168C



☀ 82168D




☀ 82168E


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82168	100% Polyester	300cm	0.5mm±5%	330g/m ² ±5%	blackout




☀ 82178A




☀ 82178B



☀ 82178C




☀ 82178D




☀ 82178E


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82178	100% Polyester	280cm	0.65mm±5%	430g/m ² ±5%	blackout



☀ 82141A



☀ 82141B




☀ 82141C



☀ 82141D


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82141	100% Polyester	300cm	0.50mm±5%	155g/m ² ±5%	Transparent




☀ 82141E



☀ 82141F



☀ 82141G



☀ 82141H

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82141	100% Polyester	300cm	0.65mm±5%	370g/m ² ±5%	blackout



☀ 82142A




☀ 82142B



☀ 82142C



☀ 82142D



☀ 82142E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82142	100% Polyester	300cm	0.53mm±5%	364g/m ² ±5%	blackout



☀ 82143A




☀ 82143B



☀ 82143C



☀ 82143D



☀ 82143E


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82143	100% Polyester	300cm	0.6mm±5%	400g/m ² ±5%	blackout




☀ 82076A



☀ 82076B



☀ 82076C



☀ 82076D


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82076	100% Polyester	300cm	0.33mm±5%	175g/m ² ±5%	semi blackout




☀ 82077A



☀ 82077B



☀ 82077C



☀ 82077D

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82077	100% Polyester	300cm	0.53mm±5%	375g/m ² ±5%	blackout



☀ 82156A



☀ 82156B



☀ 82156C



☀ 82156D



☀ 82156E



☀ 82156F

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82156	100% Polyester	300cm	0.45mm±5%	210g/m ² ±5%	Transparent



☀ 82164A




☀ 82164B




☀ 82164C



☀ 82164D



☀ 82164E



☀ 82164F

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82164	100% Polyester	300cm	0.61mm±5%	430g/m ² ±5%	blackout




Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82082	100% Polyester	300cm	0.45mm±0.05%	240g/m ² ±5%	semi blackout




☀ 82082A



☀ 82082B



☀ 82082C 180g/m²±3%




☀ 82082D



☀ 82082I




☀ 82082K



☀ 82083A




☀ 82083B




366g/m²±15%

☀ 82083C



☀ 82083D



☀ 82083I




☀ 82083K


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82083	100% Polyester	300cm	0.45mm±0.05%	425gm ² ±15%	blackout




☀ 82067M



☀ 82067N



☀ 82067G



☀ 82067H



☀ 82067I



☀ 82067U

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82067M	100%Polyester	230/300cm	0.45mm±0.05%	185g/m ² ±5%	semi
82067N					blackout
82067G/H					
82067I/U		230cm			



Number	Composition	Max Width	Black Out Rate	Weight
82067K	100% Polyester	230cm	blackout	330g/m ² ±5%
82067L				360g/m ² ±5%
82067A/B				320g/m ² ±5%
82067O/P				280g/m ² ±5%
82067C/V				350g/m ² ±5%




20%
Linen

☀ 82067K



13%
Linen

☀ 82067L



☀ 82067A



☀ 82067B



☀ 82067C




☀ 82067V



☀ 82067O



☀ 82067P




☀ 82027F




☀ 82027G




☀ 82027A




☀ 82027B



☀ 82027C




☀ 82027E




☀ 82027H

Number	Composition	Max Width	Thickness	Weight	Black Out Rate	Color fastness
82027	100% Polyester	300cm	0.4mm±5%	220g/m ² ±5%	semi blackout	6-8 Grade



☀ 82028F



☀ 82028G




☀ 82028H



☀ 82028A



☀ 82028B



☀ 82028C




☀ 82028E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate	Color fastness
82028	100% Polyester	300cm	0.5mm±5%	330g/m ² ±5%	blackout	6-8 Grade


Semi-Blackout

Number	Composition	Max Width	Weight	Black Out Rate
82086	100%Polyester	230cm	190g/m ² ±5%	semi blackout




 82086W

 82086F




 82086B

 82086G



 82086C

 82086H



 82086E


 82086J




 82086K


Blackout

Number	Composition	Max Width	Weight	Black Out Rate
82086	100%Polyester	230cm	330g/m ² ±15%	blackout






Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82010	100% Polyester	300cm	0.3mm±0.05%	310g/m ² ±10%	blackout



☀ 82010G



☀ 82010V



☀ 82010J



☀ 82010T



☀ 82010E




☀ 82010L




☀ 82010Y



☀ 82010I



☀ 82010M



Number	Composition	Max Width	Thickness	Weight	Black Out Rate	Color fastness
82026	40% Fiberglass + 60% PVC	200/250/300cm	0.38mm±5%	480g/m ² ±5%	blackout	6-8 Grade




☀ 82026A




☀ 82026B



☀ 82026C



☀ 82026E



☀ 82026F

82151 series 0%


Composition: 25% Polyester + 75% PVC

Finished width: 250/300 cm


Weight per m²: 576g/m² ± 5%

Thickness: 0.69mm ± 5%

Fire Resistance NFPA 701




☀ 82151A



☀ 82151B



☀ 82151C



☀ 82151D



☀ 82151E

82154 series 0.5%


Composition: 25% Polyester + 75% PVC

Finished width: 200/250/300 cm


Weight per m²: 435g/m² ± 5%

Thickness: 0.54mm ± 5%

Fire Resistance NFPA 701




☀ 82154A



☀ 82154B




☀ 82154C




☀ 82154D




☀ 82154E




82155A



82155B




82155C




■ Fire Resistance NFPA 701




Number	Composition	Max Width	Thickness	Weight	5% openness factor
82155	35% Polyester + 65% PVC	300 cm	0.58mm ± 5%	420g/m² ± 5%	




82088F




82088G



82088H




82088I



82088J




Number	Composition	Max Width	Thickness	Weight	5% openness factor
82088	30% Polyester + 70% PVC	300 cm	0.73mm ± 5%	428g/m² ± 5%	




82025F



82025G




82025H



82025J




82025D



82025I




82025K



82025L



Number	Composition	Max Width	Thickness	Weight	3% openness factor
82025	30% Polyester + 70% PVC	300 cm	0.69mm ± 5%	476g/m² ± 5%	



1%
openness factor

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82137	30% polyester +70% PVC	200/250/300cm	0.7mm ±5%	470g/m ² ±5%	semi blackout



☀ 82137A



☀ 82137D



☀ 82137E



☀ 82137C



☀ 82137F Brown



☀ 82137G Black-gray




☀ 82137B Black




82024A



82024B




82024C




82024E




Number	Composition	Max Width	Thickness	Weight	1% openness factor
82024	30% Polyester + 70% PVC	300-cm	0.73mm ± 5%	525g/m² ± 5%	



82006G




82006D




82006E




Number	Composition	Max Width	Thickness	Weight	Black Out Rate	0% openness factor
82006	30% Polyester + 70% PVC	300 cm	0.84mm ± 5%	663g/m ² ± 5%	blackout	




82006A




82006B




82006C




82006L




82006M




82006N



82006O




82006Q



82006R




Number	Composition	Max Width	Thickness	Weight	5% openness factor
82006	30% Polyester + 70% PVC	300 cm	0.75mm ± 5%	520g/m² ± 5%	



82006S



82006H



82006F



■ Fire Resistance NFPA 701

Number	Composition	Max Width	Thickness	Weight
82006	20% Polyester + 80% PVC	200 cm 250 cm 300 cm	0.54mm ± 5%	397g/m² ± 5%

5%
openness factor






☀ 82189A



☀ 82189B



☀ 82189C



☀ 82189D

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82189A	100%Polyester	300cm	0.73mm±0.05%	332g/m ² ±5%	semi blackout
82189B					
82189C					
82189D					





☀ 82190A



☀ 82190B



☀ 82190C



☀ 82190D



☀ 82190E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82190A	100%Polyester	300cm	0.66mm±0.05%	240g/m ² ±5%	semi blackout
82190B					
82190C					
82190D/E					






☀82191A




☀82191C

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82191A	97.5%Polyester	300cm	0.38mm±0.05%	185g/m ² ±5%	semi
82191C					blackout





☀ 82072C



☀ 82072D



☀ 82067E



☀ 82067F

Number	Max Width	Composition	Thickness	Weight	Black Out Rate
82072C/D 82067E/F	300cm	100% Polyester	0.5mm±5%	133g/m ² ±5%	Transparent



☀ 82072F



☀ 82072G



☀ 82072H



☀ 82072I

Number	Composition	Max Width	Weight	Black Out Rate
82072	100% Polyester	300cm	133g/m ² ±5%	Transparent



☀ 82182A



☀ 82182B



☀ 82182C

Number	Composition	Max Width	Weight	Black Out Rate
82182	100% Polyester	280cm	425g/m ² ±5%	blackout



☀ 82136A



☀ 82136B



☀ 82136C



☀ 82136D

Number	Composition	Max Width	Weight	Black Out Rate
82136	100% Polyester	300cm	340g/m ² ±5%	blackout



☀ 82146A



☀ 82146B



☀ 82146C



☀ 82146D

🛡 Fire Resistance



☀ 82146E

🛡 Fire Resistance

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82146	100% Polyester	300cm	0.5mm±5%	138g/m ² ±5%	Semi-blackout



☀ 82161A



☀ 82161B



☀ 82161C



☀ 82161D



☀ 82161E



☀ 82161F


Number	Composition	Max Width	Weight	Black Out Rate
82161	100% Polyester	280cm	190g/m ² ±5%(A B C) 300g/m ² ±5%(D E F)	Semi-blackout




☀ 82144A



☀ 82144B





☀ 82144C



☀ 82144D

Number	Composition	Max Width	Weight	Thickness	Black Out Rate
82144 (A C)	100% Polyester	280cm	260g/m ² ±5%	0.5mm ± 5%	Semi-blackout
82144 (B D)					Transparent

Manufacturer more than 20 years
export business



Hundreds of fabric available

Multiple types of control system

Fast turn around & delivery

CNC Automatic Production Line